

( )

**(Allium cepa L.)**

//

/ %

/ %

) **F<sub>6</sub>S**

( ) **F<sub>6</sub>M**

(n=8)

%

:

( )

BA 2,4-D

(F<sub>6</sub> )

TIBA

( )

( )

(JAF )

F<sub>1</sub>

( )

( )

( )

F<sub>1</sub>

( )

( )

F<sub>1</sub>

( )

( )

( )

/ pH .  
/ °C  
\*

( / ) / °C  
( )

( )

---

( )

---

( )

( )

( )

( )

---

( )

°C

%

( ) ( ) JAF F<sub>6</sub>M F<sub>6</sub>S

\*

M <sub>4</sub>	F <sub>6</sub> CY	M <sub>6</sub> M	M <sub>6</sub> S	JAF	F <sub>6</sub> M	F <sub>6</sub> S	
+	+	+	+		+	+	BDS **
				+			MS ***
							( )
							(")
							(")
							( ) 2,4-D
							(") BA
				/			(") TIBA
							(") IAA
							(") 2-ip
	/						(")
+	+	+	+	+	+	+	( )
)	( )	)	( )	)	( )	)	:
					( )	)	(
				( )	:***	( )	:**

...

:

F<sub>6</sub>M F<sub>6</sub>S

( ) JAF

( ) ( ) F<sub>6</sub>CY M<sub>6</sub>M M<sub>6</sub>S

JAF-F<sub>6</sub>CY

) M<sub>4</sub>

( ) M<sub>4</sub>

(

( )

)

.( )

)

(

( %)

)

(

(

)

.(

( %)

( / %)

( / %)

.( )

( / %)

.( )



M<sub>4</sub>

F<sub>6</sub>M F<sub>6</sub>S

JAF

F<sub>6</sub>CY M<sub>6</sub>M M<sub>6</sub>S

(M<sub>4</sub>)





.( )



( / %) F<sub>6</sub>S M<sub>6</sub>S  
 ( / %) F<sub>6</sub>M M<sub>6</sub>M  
 ( / %) JAF- F<sub>6</sub>CY  
 ( / %)  
 ( / %)

F<sub>6</sub>M M<sub>6</sub>M F<sub>6</sub>S M<sub>6</sub>S  
 / % / % / % JAF- F<sub>6</sub>CY  
 JAF- F<sub>6</sub>CY  
 (.)  
 / / JAF- F<sub>6</sub>CY  
 F<sub>6</sub>S M<sub>6</sub>S F<sub>6</sub>M M<sub>6</sub>M  
 JAF- F<sub>6</sub>CY  
 JAF- F<sub>6</sub>CY (.)  
 ( / %)  
 ( / %)

BA 2,4-D  
 ( )  
 / %  
 ( )



2ip IAA F<sub>6</sub>CY (F<sub>6</sub>CY )

(F<sub>6</sub>CY) (F<sub>6</sub>M F<sub>6</sub>S) F<sub>6</sub>M F<sub>6</sub>S

(JAF) BA 2,4-D

% %

( )

JAF- F<sub>6</sub>CY

BA 2,4-D

( )

JAF- F<sub>6</sub>CY

JAF TIBA

## REFERENCES

- (MSTATC)
8. Bohanec, B., M. Jakse, A. Ihan, & B. Javornik. 1995. Studies of gynogenesis in onion (*Allium cepa* L.): induction procedures and genetic analysis of regenerants. *Plant Science* (104): 215 – 224
  9. Bohanec, B. & M. Jakse. 1999. Variation in gynogenic response among long day onion (*Allium cepa* L.) accessions. *Plant Cell Report* (18): 737 – 742

10. Brewster, J. L. 1994. Onion and other vegetable alliums. CAB International Publication. P. 236
11. Campion, B. & C. Alloni. 1990. Induction of haploid plants in onion (*Allium cepa* L.) by *in vitro* culture of unpollinated ovules. *Plant, Cell, Tissue and Organ Culture* (20): 1 – 6
12. Campion, B., M. T. Azzimonti, E. Vicini, M. Schiavi, & A. Falavigna. 1992. Advances in haploid plant induction in onion (*Allium cepa* L.) through *in vitro* gynogenesis. *Plant Science* (86): 97 – 104
13. Campion, B. & M. Schiavi. 1994. Production of doubled haploid lines of onion (*Allium cepa* L.): progress report and problems. Scientific Meeting “Impact of Plant Biotechnology on Agriculture” Slovenia, 5 – 7 December, 1994: 25 – 33
14. Campion, B., E. Perri, M. T. Azzimonti, E. Vicini, & M. Schiavi. 1995. Spontaneous and induced chromosome doubling in gynogenic lines of onion (*Allium cepa* L.) *Plant Breeding* (114): 243 – 246
15. Cohat, J. 1994. Obtention Chez l’echalote (*Allium cepa* L. var. *aggregatum*) de plantes gynogenetiques par culture *in vitro* de boutons floraux. *Agronomie* (14): 299 – 304
16. Dunstan, D. I. & K. C. Short. 1977. Improved growth of tissue cultures of the onion (*Allium cepa* L.). *Physiology Plantarum* (41): 70 – 72
17. Geoffriau, W., R. Kahane, & M. Rancillac. 1997. Variation of gynogenesis ability in onion (*Allium cepa* L.). *Euphytica* (94): 37 – 44
18. Hoekstra, S., M. H. Van Zijderveld, F. Heidekamp, & F. van der Mark. 1993. Microspore culture of *Hordeum vulgare* L.: The influence of density and osmoality. *Plant Cell Report* (12): 661-665
19. Kashi, A. B. R. Forudi. 1998. Effect of nitrogen on yield, quality and storage ability of onion cultivars (*Allium Cepa* L.). *Iranian Journal of Agricultural Sciences*. 29(3):590-597.
20. Keller, J. 1990a. Result of anther and ovule culture in some species and hybrids in the genus *Allium*. *Arch Zuchtungsforsch* 20 (3): 189 – 197
21. Martinez, L., C. Aguero, & C. R. Galmarini. 1997. Obtention of haploid plants by ovaries and ovules culture in onion (*Allium cepa* L.). Proc. 2 th. Intl. Sym. Edible Alliaceae (Eds.), J. L., Burda, & C. R., Galmarini, *Acta Horticulture* Vol. 433. ISHS Pp.447-453
22. Murashige, T. & F. Skoog. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiology Plantarum* (15): 473 – 497
23. Muren, R. 1989. Haploid plant induction from unpollinated ovaries in onion. *HortScience* (24): 833 – 834
24. Raymond, A. T. G. 1999. Vegetable seed production. CAB International Publication. P. 282
25. Tuveesson, I. K. D. & R. C. V. Ohlund. 1993. Plant regeneration through culture of isolated microspores of *Triticum aestivum* L. *Plant Cell, Tissue and Organ Culture* (34): 163-167