

( )

**(*Silybum marianum* cv.Budakalazi)**

\*

( / / : / / : )

(*Silybum marianum* L.)

N P K N P K N P K N P K  
( )

NPK

( / ) N P K ( / )  
N P K  
(N P K ) NPK

N P K ( )

N P K

N P K

N P K

N P K

:

(*Silybum marianum* L.)

( )  
( )  
(Omer et al., 1995)

(Omidbaigi, 2000)

% /  
(Schunke, 1992)  
)  
) ( )  
( )  
(Omidbaigi & Nobakht, 2001)

/ )  
(Dewick, 1998)

(Omidbaigi, 2000)

( )  
*Silybum marianum* cv. Budakalasz  
9

(Omer et al., 1998)  
( )  
) ( )  
( )

(Omer et al., 1993)

---

/	( )	/	( )
/		/	(pH)
/		/	
/		/	
/	( )	/	
/		/	

---

- 
1. Flavonolignans
  2. Flavonoides
  3. Lignans
  4. Phenols
  5. Silybin
  6. Silydianin
  7. Silychristin
  8. Sily marin

( )

C

( + )

( )

( )

(Wagner et al., 1984)

( + )

(HPLC)

( $\mu\text{m}$ )

/ x C<sub>1B</sub>:

:

:

:

/ :

:

:

MeOH	H <sub>3</sub> PO <sub>4</sub>	H <sub>2</sub> O	A
20	0.5	80	
MeOH	H <sub>3</sub> PO <sub>4</sub>	H <sub>2</sub> O	B
80	0.5	20	

ml

1. Rotary Evaporator

( )

( )

( )

SPSS

%

%

%

( )

NPK

N P K

( / )

N P K

( / )

N P K

( / )


/

N P K


N P K

/

/



NPK




NPK

...

:

N P K ( / ) ( / )  
 N P K ( / ) ( / )  
 ( / )  
 %  
 ( : : ) ( )  
 ( / )  
 N P K  
 ( / ) ( / )  
 /  
 N P K  
 ( / ) N P K  
 N P K N P K ( )  
 N P K N P K  
 ( )

/ b	/ b	/ a	/ a	/ b	N P K
/ a	/ a	/ a	/ a	/ b	N P K
/ a	/ ab	/ a	/ a	/ ab	N P K
/ a	/ ab	/ a	/ a	/ a	N P K





N P K

( )  
 / ) ( / )  
 N P K ( / )  
 / ) ( )  
 ( ) ( )


( / )  
 N P K ( / )  
 / )

NPK

( / )  
 / )  
 ( / )  
 ( ) ( )



NPK



NPK

Omidbaigi & Nobakht

(2001)

N P K

/

N P K

N P K

N P K

NPK

( )

/ )

N P K

(

: : ::

( / ) N P K

( / ) N P K

( : : )

( : : : : : : )

(2001) Omidbaigi & Nobakht

(1993) Omer et al.

) ( )

Budakalazi

(

: :

( )

(2001) Omidbaigi & Nobakht

(1993) Omer et al.

)

(

(2001) Omidbaigi & Nobakht

/ (

( )

(1992) Schunke .

( )

/

NPK

(Omidbaigi & Nobakht,

.2001)

/ /

N P K

( )

(2001) Omidbaigi & Nobakht

N P K

( ) /

( )

N P K

)

/ (

)

(

N.P.K.

: : ( )

Budakalasz

( )

N P K

( )

N P K

)

/

(

)

N P K



## REFERENCES

1. Dewick, P. M. (1998). *Medicinal Natural Products*. Abiosynthetic approach. John Wiley & Sons.
2. Omer, E. A. (1996). Effect of different nitrogen sources on romanian *Silybum marianum* cultivated in sandy and clay soils. *Egyptian Journal of Horticulture*, 23(1), 62-67.
3. Omer, E. A., Ahmed, S. S., Ezz-El-Din, A. A. & Fayed, T .B. (1998). Seed yield of *Silybum marianum* L. as affected by row spacing and fertilization in new reclaimed lands of Egypt. *Egyptian Journal of Horticulture*, 25(3), 281-293.
4. Omer, E. A., Ibrahim, M. E., Razin, A. M. & Ahmed, S. S. (1995). Effect of spacing, nitrogen and potassium fertilization of *Silybum marianum* L.cultivated in newly reclaimed lands. *Egyptian Journal of Horticulture*, 22(1), 97-108.
5. Omer, E. A., Raffaet, A. M., Ahmed, S. S., Kamel. A. & Hammouda, F. M. (1993) Effect of spacing and fertilization on the yield and active constituents of Milkthistle, *Silybum marianum*. *Journal of Herbs, Spices and Medicinal Plants*, 1(4), 17-23.
6. Omidbaigi, R. (1998). Silymarin and silybin production from wild and cultivated milkthistle. *Iranian Journal of Agricultural Science*, 29(2), 48.(In Farsi).
7. Omidbaigi, R. (2000). *Approaches to production and processing of medicinal plants*.1 & 2. p. 397. (In Farsi)
8. Omidbaigi, R. & Nobakht, A. (2001). Nitrogen fertilizer affecting growth, seed yield and active substances of Milkthistle. *Pakistan Joutnal of Biological Sciencs*, 4(11), 1345-1349.
9. Schunke, U. (1992). Holythistle, First experience with cultivation and harvest. *Landtechnik*, 47(11), 548-550.
10. Wagner, H., Bladt, S. & Tgainski, E. M. (1984). *Plant drug analysis*. A Thin Layer Choromatography Atlas. Springer-Verlag. pp:320.

