

( ) ,

***Agonoscena pistaciae* (Hemiptera: Psyllidae)**

\*

( / / : - / / : )

***Agonoscena pistaciae* Burckhardt & Lauterer**

.

.

.

( )

/ ± / / ± /

.

/ ± /

.

*Agonoscena pistaciae* :

*Pistacia vera* L.

(Sheibani *et al.*, 1995; Razavi, 2005)

*Agonoscena pistaciae*

Burckhardt & Lauterer

(Esmaili, 1996;

Samih *et al.* 2005; Hassani, 2009)

(Dastgheyb –

.Beheshti & Seyedoleslami, 1987)

Dezianian & Sahragard ( ) Assar .

( )

)

(

×

(2002) Seyedoleslami *et al.*

( ) ( )  
( ) ( )  
)  
(

( )

( )


$\pm / / \pm / \pm / \pm /$

$/ \pm /$

( )

$/ \pm /$

—◆— میانگین تغییرات تعداد حشره کامل در سال ۱۳۸۶ —▲— میانگین تغییرات تعداد حشره کامل در سال ۱۳۸۷



( )

( )



... :

//

/

/ ± /    / ± /    / ± /  
(    )

(    )

/ ± /    / ± /    / ± /  
(    )

(Mean±SE)

Dezianian & (2001) Assar  
(2004) Sahragard

/ ± / <sup>a</sup>	/ ± / <sup>a</sup>
/ ± / <sup>b</sup>	/ ± / <sup>b</sup>
/ ± / <sup>c</sup>	/ ± / <sup>c</sup>

%

\*

/ ± /    / ± /    / ± /  
(2004) Dezianian & Sahragard

(Esmaili, 1996)

(2004) Dezianian & Sahragard

(1984) Brunner

//

## REFERENCES

1. Assar, M. (2001). *Biology of pistachio psylla Agonoscena pistaciae (Hom.: Psyllidae) in Dameghan and effect of Releasing Chrysoperla carnea (Stephens) (Neu.: Chrysopidae) egg integrated with using sticky yellow traps in reducing psylla populations in different generations*. M. Sc. dissertation, Islamic Azad University, Science & Research Branch, Tehran, Iran. (In Farsi)
2. Brunner, J. F. (1984). The development, distribution and sampling for the pear psyllid, *Psylla pyricola*. *Bulletin SROP, USDA*, 7, 81-96.
3. Dastgheyb – Beheshti, N. & Seyedoleslami, H. (1987). Forecasting codling moth phenology based on the degree day summation in the apple orchard in west of Esfahan. *Applied Entomology & Phytopathology*, 54(1 & 2), 25-43. (In Farsi).
4. Dezianian, A. & Sahragard, A. (2004). Biology and natural enemies of pistachio psyllid, *Agonoscena pistaciae* in Dameghan region. *Journal of Agricultural Science*, 1(5), 83-92. (In Farsi).
5. Esmaili, M. (1996). *Important pest of fruit trees*. Center of Sepehr Publication. (In Farsi).
6. Hassani, M. R. (2009). *Bioecology and economic injury level of Agonoscena pistaciae (Hem.: Psyllidae) in Rafsanjan region of Iran*. Ph. D. dissertation, Islamic Azad University, Science & Research Branch, Tehran, Iran. (In Farsi).
7. Razavi, S. (2005). Pistachio production, Iran vs. the world. In: *Proceedings of the 4<sup>th</sup> International Symposium on Pistachios and Almonds*. 22-25 May, ISHS-Tehran, Iran, p. 209.
8. Samih, M. A., Alizadeh, A. & Saberi Riseh, R. (2005). *Pistachio pests and diseases in Iran and their IPM*. Organization of Jihad-e-Daneshgahi, Tehran. (In Farsi).
9. Seyedoleslami, H., Hadian, A. R. & Rezai, A. (2002). Effect of height and geographical direction for placement of yellow sticky board traps to capture adult pistachio psylla [*Agonoscena pistaciae* Burckhardt and Lauterer (Hom.: Psyllidae)] and egg and nymphal density estimations. *Journal of science and Technology of Agriculture and Nutural Resources*, 6(3), 221-228. (In Farsi).
10. Sheibani, A., Farivar-Mahin, H. & Azghandi, A. (1995). *Pistachio production in Iran*. Ministry of Agriculture, Agricultural & Educational Organization, Pistachio Research Institute. (In Farsi).