

()

Trichoderma

(/ / : / / :)

Trichoderma Virens T65

T. brevicompactum T146 *T. virens* T122 *T. virens* T96 *T. virens* T90

T. koningii T77 *T. viridecens* T150 *T. koningiopsis* T149

"

T149 T146 T122 T96 T90

/

/

/ / / / / / / /
/ / / / / / /

:

"

() .()

Trichoderma harzianum T22

T. harzianum T22

.()

() ()
()
T. harzianum

Bradyrhizobium T22
japonicum

()
T. harzianum T203

T. Virens T65

T. virens T122 *T. virens* T96 *T. virens* T90

T. koningii T77 *T. brevicompactum* T146

()

()
/ (NH₄NO₃)
(K₂HPO₄) / (MgSO₄, 7H₂O) ()
(KCl) /
/ / / ()
/ / PCNB

Trichoderma

Trichoderma viridecens *koningiopsis* T149
T150

()

PDA

() ()

()

()

°C

pH

pH

pH

"

PDA /) 1/4-strength PDA
(

()

pH

pH

Trichoderma

:

) °C
" °C (°C

) (")
(")

°C

°C

×

()

SAS software 6.12

()

T. harzianum

%

Bacillus subtilis

T90 T149 T122 T96
T146
%

± °C

T96

() % / % / % / % /

T122 T146 T149 T96
T90
%

×

T146 T96
% / % % / % /

()

A	A	/	/	/	/	T96
A	A	/	/	/	/	
A	A	/	/	/	/	
A	A	/	/	/	/	
AB	A		/	/	/	T146
CAB	A	/	/	/	/	T122
CAB	A	/	/	/	/	T149
CAB	A	/	/	/	/	T90
CDB	B	/	/	/	/	T77
CD	B		/	/	/	T65
CD	B		/	/	/	T150
D	B			/	/	

%

()

T149 T146 T122 T96 T90

()

)

(

()

()

"

()

()

T. harzianum T22

()

" ()

GA3

GA3

()

REFERENCES

1. Altomare, C., W. A. Norvell, T. Bjorkman, & G. E. Harman. 1999. Solubilization of phosphates and micronutrients by the plant promoting and biocontrol fungus *Trichoderma harzianum*. Applied and Environmental Microbiology. 65:2926-2933.
2. Arora, D. K., R. P. Elander, & K. G. Mukerji. 1992. Handbook of applied mycology. Fungal Biotechnology, vol 4. Marcel Dekker, New York.
3. Arst, H. N., & M. A. Peñalva. 2003. pH regulation in *Aspergillus* and parallels with higher eukaryotic regulatory systems. Trends in Genetics. 19:224-231.
4. Benítez, T., J. Delgado-Jarana, A. M. Rincón, M. Rey, & M. C. Limón. 1998. Biofungicides: *Trichoderma* as a biocontrol agent against phytopathogenic fungi. In: Pandalai, S.G. (ed). Recent research developments in microbiology, vol. 2. Research Signpost, Trivandrum. pp 129-150.
5. Benitez, T., A. M. Ricon, M. C. Limon, & A. C. Codon. 2004. Biocontrol mechanisms of *Trichoderma* strains. International Microbiology. 7:249-260.
6. Chet, I., & R. Baker. 1981. Isolation and biocontrol potential of *Trichoderma hamatum* from soil naturally suppressive to *R. solani*. Phytopathology. 71:286-290.
7. Chet, I., & J. Inbar. 1994. Biological control of fungal pathogens. Applied Biochemistry and Biotechnology. 48:37-43.
8. Chet, I., J Inbar, & I. Hadar. 1997. Fungal antagonists and mycoparasites. In: Wicklow DT, Söderström B (eds). The Mycota IV: Environmental and microbial relationships. Springer-Verlag, Berlin. pp 165-184.
9. Cunningham, J. E., & C. Kuiack. 1992. Production of citric and oxalic acids and solubilization of calcium phosphate by *Penicillium bilaii*. Applied and Environmental Microbiology. 58:1451-1458.
10. Duffy, B. K., B. H. Owsley, & D. M. Weller. 1997. Soil chemical and physical properties associated with suppression of take-all of wheat by *Trichoderma koningii*. Phytopathology. 87:1118-1124.
11. Eisendle, M., H. Oberegger, R. Buttinger, P. Illmer, & H. Haas. 2004. Biosynthesis and uptake of siderophores is controlled by the pacC-mediated ambient-pH regulatory system in *Aspergillus nidulans*. Eukaryotic Cell. 3:561-563.
12. Elad Y., & I. Chet. 1983 Improved selective medium for isolation of *Trichoderma* spp. from soil. Phytoparasitica. 11:55-58.
13. Goldstein A. H. 1995. Recent progress in understanding the molecular genetics and biochemistry of calcium phosphate sulubilization by gram negative bacteria. Biological Agriculture and Horticulture. 12:185-193.
14. Handelsman, J., & E. V. Stabb. 1996. Biocontrol of soilborne plant pathogens. The Plant Cell. 8:1855-1869.
15. Harman, G. E. 2000. Myths and dogmas of biocontrol. Changes in perceptions derived from research on *Trichoderma harzianum* T22. Plant Disease. 84:377-393.
16. Harman, G. E. 2001. Proceedings of International Symposium on Biological Control of Plant Diseases for the New Century- Mode of Action and Application Technology. National Chung Hsing Univ., Taichung City. pp 71-84.
17. Harman, G. E., C. R. CHowell, A. Viterbo, I Chet, & M. Lorito. 2004. *Trichoderma* species-opportunistic, avirulent plant symbionts. Nature Reviews. 2:43-56

18. Howell, C. R. 2003. Mechanisms employed by *Trichoderma* species in the biological control of plant diseases: the history and evolution of current concepts. *Plant Disease*. 87:4-10.
19. Kietreiber, M. 1984. ISTA Handbook of Seed Health Testing. Working Sheet No. 53, Wien, Austria.
20. McIntyre, M., J. Nielsen, J. Arnau, H. van der Brink, K. Hansen, & S. Madrid. (eds) 2004. Proceedings of the 7th European Conference on Fungal Genetics. Copenhagen, Denmark.
21. Osiewacz, H. D. (ed) 2002. Molecular biology of fungal development. Marcel Dekker, New York.
22. Prusky, D. & Yakoby, N. (2003) Pathogenic fungi: leading or led by ambient pH? *Molecular Plant Pathology*. 4:509-516.
23. Yedidia, I., A. K. Srivastva, Y. Kapulnik, & I. Chet. 2001. Effect of *Trichoderma harzianum* on microelement concentrations and increased growth of cucumber plants. *Plant Soil* 235:235–242.